

## LUMINAIRE

SEQUOIA LIGHTING SYSTEMS

AREA

DESIGN  
LA620



LAUSD APPROVED  
AVAILABLE IN (2) LAMP

### SPECIFICATIONS

**Luminaire Name:** Nova Mini Brite

**Description:** The Nova Mini-Brite fixture is a rugged unit that affords effective and unobstructed illumination of entry-ways, corridors and other area lighting applications. Each fixture can be surface or swivel mounted for easy directional lighting. Sunburst fixtures are vandal proof and designed for maximum energy savings. Each fixture is 4-5 times more efficient than typical incandescent lamps

**Material:** Steel

**Lens/Panels:** Acrylic / Polycarbonate UV stabilized

**Wattage/Lamping:** PL-13 or 26

**Distribution:** Symmetric or Asymmetric

**Voltage:** 120, 208, 240, 277 or 480 volt

**Diffuser:** White, Clear, Polycarbonate, Acrylic


**Options:** Swivel base, Electronic ballast, Vandal proof screws

**Dimensions:** All dimensions are nominal


**Photometry:** Available upon request on I.E.S. formatted disk

**Warranty:** Fixture shall be warranted to be free of defects for two

years. Ballast components shall carry the ballast manufacturer's limited warranty



SIDE VIEW



END VIEW

### FINISH

Three Stage:

- Cleaned and Etched
- Primered
- Powder coated or wet painted

**Colors:** White

\* Custom colors available

### APPLICATIONS

- Entry-ways
- Corridors
- Transportation Terminals
- Office Complexes
- School Campus
- Shopping Malls
- Hotels/Motels
- Industrial Sites
- Commercial Developments
- Waterfront Areas
- Parks/Recreational Areas
- Architectural Landscape Ltg.

SEQUOIA LIGHTING  
CORPORATION

MANUFACTURERS OF QUALITY LIGHTING PRODUCTS

13644 George Blvd, Suite 1, Victorville, CA, 92394 (760) 246-5213 FAX (760) 246-5294 www.sequoialighting.com

# LUMINAIRE

SEQUOIA LIGHTING SYSTEMS

# AREA

## ORDERING NUMBER LOGIC

Example: LA620 -22 -13 -2 -I -BR -L -O -P -S -O  
                  (A)       (B)       (C)       (D)       (E)       (F)       (G)       (H)       (I)       (J)       (K)

(A) DESIGN I.D. Top Right Corner of Cutsheet

(B) PL BALLAST VOLTAGE

22 = 120V  
25 = 240V  
26 = 208V  
27 = 277V

(C) PL LAMP WATTAGE

1 = 13 Watts  
2 = 26 Watts

(D) NUMBER OF PL LAMPS PER FIXTURE

0 = None  
1 = One  
2 = Two  
3 = Three

(E) BALLAST MOUNTING

I = Internal  
X = External

(F) PAINT

00 = None  
BL = Black  
BR = Bronze  
VR = Verde  
GR = Green  
GY = Gray  
WT = White  
RD = Red  
BU = Blue  
CC = Custom (Per Specification)

(G) LAMP OPTION

X = No Lamp  
L = Lamp Included

(H) EXTENSION BACK-PLATE

0 = None  
1 = Back-Plate Included (Only applies to Nova-Sunburst)

(I) LENS OPTIONS

P = Polycarbonate  
A = Acrylic

(J) Lens Screw Type

S = Standard Phillips Head  
T = Tamper Proof (Please consult factory for type and size)

(K) SCREW-IN RECEPTACLE

5 = None (wire leads only)  
6 = Provide leads with quick disconnect with screw-in type socket

# SEQUOIA LIGHTING

CORPORATION

MANUFACTURERS OF QUALITY LIGHTING PRODUCTS

13644 George Blvd, Suite 1, Victorville, CA, 92394 (760) 246-5213 FAX (760) 246-5294 www.sequoialighting.com

Revision